



ZEAL INTERNATIONAL (An ISO 9001 Certified Company)

Head Office: 1, Netaji Subhash Marg Daryaganj, New Delhi - 110002 INDIA

Phone: +91-11-23276114, 23244474, 23250281, 23278846 Fax: +91-11-43580558

Branch Office: 4/20 Kirti Nagar Industrial Area New Delhi - 110015 Phone: +91 11 45380800

Warehouse: 4/26 Kirti Nagar Industrial Area New Delhi – 110015

info@zealinternational.com

sales@zealinternational.com

support@zealinternational.com

quotation@zealinternational.com

Visit us at: www.zealinternational.com

Marsh Cone Apparatus ZI 1031

Standards: ASTM D 2419, AASHTO T 176

Specification:

Marsh Cone Apparatus, also known as Marsh Viscosity Cone or Marsh Funnel, is used to find out viscosity of bentonite slurry and similar material. The marsh cone is 6 inch in diameter at the top and 12 inch long, and tapers to join a tube 2 inch long and 3/16 inch inside dia. The capacity of the funnel is 1500cc. Time in seconds required to flow out 1000cc of slurry from cone is measured as funnel viscosity of the material.



Marsh Funnel Viscosity Test is the most preferred test to measure the viscosity of drilling fluid. Please watch the below video for an easy demonstration of Viscosity test using Marsh Cone Apparatus.